Journal of Orthopaedic Research
11:913-914 The Journal of Bone and Joint Surgery, Inc.
© 1993 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 11, 1993

AUTHOR INDEX

Adams DJ, 686
Adams ML, 840
Akeson WH, 818
Anderson PA, 548
Andriacchi TP, 758
Andrulis IL, 396
Aro HT, 305
Avramov AI, 205
Azzo W, 163

Balnave RJ, 358
Barnard RJ, 263
Barr SJ, 10
Barrios C, 556
Bartel DL, 272
Barth R, 514
Bazett-Jones DP, 1
Beaupré GS, 581
Bell RS, 396
Bergenthal DS, 457
Berzins A, 758
Best TM, 897
Beynnon BD, 190
Bhamra M, 412
Bishop PB, 324
Black RC, 78
Blankevoort L, 612
Bogdanske JJ, 452
Bogoch E, 285, 292
Botte MJ, 416, 818
Botti P, 664
Boyd RD, 199
Bramley A, 856
Brause BD, 619
Bray DF, 677
Bray RC, 677
Breidenbach WC, 20
Brenner R, 564
Brock CW, 479
Brown SA, 865
Burr DB, 199
Burstein D, 465
Burton DW, 671
Burton-Wurster N, 717, 782
Bushart G, 564
Butler DL, 448
Byl NN, 215
Bylski-Austrow DI, 796
Byrne TP, 416

Calandruccio RA, 379
Canè V, 664
Cannon WD, 696
Carnesale PG, 379
Carter DR, 581
Castresana JS, 556
Cavanaugh JM, 205
Chao EYS, 339, 452, 457
Cherubino P, 892
Choong PFM, 638
Cierny G III, 404
Cieslak CA, 49
Closkey RF, 730
Co FH, 696
Coci A, 892
Collins A, 897
Cornell CN, 619
Crisco JJ III, 525

Dahl B, 28, 573
Dahners LE, 627
Danto MI, 58
Davis TRC, 834
De Pablos J, 438
Deftos LJ, 671
Di Nucci A, 892
Domb A, 256
Dudley HAF, 412
Dutkowsky JP, 379
Dvorak J, 525
Dvorák J, 805
Dye JF, 412

Easley K, 514
Edsberg L, 256
Ehrnberg A, 438
Eisenstein SM, 747
Ekeland A, 299
Engebretsen L, 149
Erickson AR, 190
Eyre DR, 771

Fallon MT, 404
Farquhar T, 717
Feder SM, 448
Firrell JC, 20
Foux A, 78
Fowler PT, 416
Foy BD, 465
Frank CB, 677
Frassica FJ, 339
Friedlaender GE, 422
Fu FH, 686

Galante JO, 500, 758
Ganey TM, 479
Gelb D, 884
Gelberman RH, 603, 818
Gerhart T, 256
Gerhart TN, 250
Getchell TV, 205
Giori NJ, 581
Gipe R, 465
Glant TT, 172
Goldner R, 897
Gottsauner-Wolf F, 339, 452
Gray JM, 215
Gray ML, 465
Gregg PJ, 49
Grob D, 525, 805
Grood ES, 796
Gschwend N, 285, 292
Gunther E, 537

Hanff P, 256
Hanff PA, 250
Hargens AR, 818
Hartman AL, 465
Hay SJ, 856
Hayashi K, 592
Hayes W, 256
Hayes WC, 161, 250
Haynes DR, 856
Hazan R, 655
Heinegård D, 367
Helminen HJ, 738
Herbert RD, 358
Hill EL, 537
Hiltunen A, 305
Holden JP, 448
Holets VR, 537
Holm S, 104
Horowitz GL, 250
Hou JC-H, 263
Hourigan AJ, 633
Howie DW, 856
Huber B, 514
Huiskes R, 500, 612
Hulme AL, 412
Hulth A, 367
Hurwitz SR, 884
Hwang WS, 1

Ichimura K, 92
Ikenaga M, 849
Inoue M, 181
Ishihara H, 332

Jacob E, 404
Johnell O, 367
Johnson RJ, 190
Johnston CE II, 110

Kaneda K, 592
Kauer JMG, 612
Kawaguchi S, 386
Kawalec JS, 865
Keaveny TM, 272
Keller TS, 462
Kells AF, 633
Kelly MJ, 131
Kiær T, 28, 573
King AI, 205
Kish V, 199
Kiviranta I, 738
Kokubo T, 849
Koob TJ, 771
Kotoura Y, 849
Kowalchuk RM, 874
Kreicbergs A, 438, 556
Krook L, 782

Lammi M, 738
Lane JM, 514, 619
Lane N, 163
Langer R, 256
Laurencin CT, 256
Lew WD, 149
Lewis JL, 149
Lieber RL, 131
Lilly EG, 897
Lindberg L, 367
Lindquist C, 149
Lindsey RW, 627
Livesay GA, 686
Loveys LS, 884
Lust G, 717, 782

Maeda A, 181
Maki Y, 20
Makley JT, 240
Malizos KN, 350
Malumed J, 796
Mankin HJ, 10
Mao Z, 462
Markel MD, 339, 452, 457
Marras WS, 811
Martin RB, 537
Martin TJ, 638
Martinez-Lotti G, 438
Maruta K, 92
Mathewson JW, 416
Matsui H, 92
Maurer AM, 865
McAuley J, 78
McCormack AP, 548
McDonald F, 36
McGann LE, 1
McGrory BJ, 429
McNeill JF Jr, 404
Meade T, 796
Menage J, 747
Merritt K, 865
Miclau T, 627
Mikecz K, 172
Miller RG, 1
Miller RR, 907
Minor RR, 782

Mirka GA, 811
Miya L, 240
Mommersteeg TJA, 612
Moran CG, 429, 840
Moran E, 285, 292
Morey-Holton E, 537
Mörike M, 564
Morishita H, 122
Mow VC, 163, 228, 771
Müntener M, 805
Murrell GAC, 897
Muschler GF, 514

Nakamura H, 181
Nakata K, 181
Neame PJ, 479
Nerlich A, 564
Ng KW, 638
Nilsson O, 438
Noguchi M, 603
Nordsletten L, 299

Oda T, 525
Oegema TR Jr, 313
Ohno K, 592
Ohura K, 849
Oka M, 849
Oláh J, 68
Olmarker K, 104
Ongchi DR, 705
Ono K, 181
Ördög A, 68
Oron U, 655
Oshima H, 332
Otis JO, 514
Özaktay AC, 205

Pan HQ, 199
Panjabi MM, 422, 525
Parthemore JG, 671
Payer JH, 865
Pazzaglia UE, 892
Pearce RH, 324
Pearcy MJ, 856
Pelker RR, 422
Perren S, 285, 292
Peschel RE, 422
Pickvance EA, 313
Pitt Ford TR, 36
Pogány G, 68
Pollack SR, 874
Pope MH, 190
Porter RW, 104
Poteet B, 110
Puustjärvi K, 738
Puzas JE, 884

Quarles LD, 350

Radin EL, 199
Rahn B, 285, 292
Ratcliffe A, 163, 228
Renshaw AA, 250
Rhoades CE, 818
Rizk WS, 350
Roberts S, 747
Rock MG, 339, 457
Rogers SD, 856
Roorda J, 429, 648
Rosenberg AE, 256
Rosenberg LC, 479
Rosenwasser MP, 163
Rosier RN, 884
Roux RD, 250
Ruiz J, 556
Ryd L, 142
Rydell PA, 907
Rydevik B, 104

Saed-Nejad F, 163
Sano A, 92
Sasse J, 479
Satcher R, 256
Schachar NS, 1
Schultz AB, 730
Schwartz HS, 633
Schwarz Lausten G, 28, 573
Seaber AV, 350, 897
Seguchi Y, 181
Seiler JG III, 603
Setton LA, 228
Sharkey NA, 828
Shino K, 181
Siderys GS, 404
Skinner HB, 696
Smith RA, 379
Soana S, 664
Sofranko RA, 603
Spengler DM, 462
Speth SR, 416
Stevenson S, 240
Stewart NJ, 149
Sumner DR, 500, 758
Sutherland DH, 416
Swenson MR, 818
Szabo RM, 828

Takahashi K, 104
Takai S, 686
Tammi M, 738
Tanaka M, 122, 181
Tavakol K, 1
Teller W, 564
Tencer AF, 548
Thompson RC Jr, 313
Thonar EJ-MA, 705
Todhunter RJ, 782
Toksvig-Larsen S, 142
Tomita K, 122
Treep JT, 479
Triffitt PD, 49
Tsuchiya H, 122
Tsuji H, 92, 332
Turner CH, 462
Turner TM, 500
Tyndall D, 619
Tyrrell MR, 412

Ueda Y, 122
Uede T, 386
Uhlig Y, 805
Uhthoff HK, 78
Ullman T, 514
Urban JPG, 332
Urbaniak JR, 350
van den Berg WB, 492
van der Kraan PM, 492
van Osch GJVM, 492
van Rietbergen B, 500
Vanderby R Jr, 457
Vernier-Singer M, 717
Vetter U, 564
Vogel KG, 68
Vuorio E, 305

Wahner HW, 452
Waldron MJ, 110
Waller S, 619
Weber BR, 805
Weidenbaum M, 228
Weinans H, 500
Welch RD, 110
Widmann RF, 422
Williams JM, 172, 705
Windsheimer E, 564
Witschger P, 256
Wold L, 396
Wolff DA, 240
Woo SL-Y, 58, 603, 686
Wood MB, 429, 648, 834, 840
Wootton JAM, 782
Wunder JS, 396

Yamagami T, 92
Yamamoto N, 592
Yamamuro T, 849
Yamashita T, 205
Yasuda K, 190, 592
Yeadon A, 78
Young CN, 479
Young DR, 457

Zaleske DJ, 10
Zart DJ, 240
Zatti G, 892
Zernicke RF, 263
Zhu WB, 228, 771
Zurawski J, 172

Journal of Orthopaedic Research
11:915-922 The Journal of Bone and Joint Surgery, Inc.
© 1993 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 11, 1993

SUBJECT INDEX

Absorptiometry
Dual energy x-ray absorptiometry of implanted femora after cemented and press-fit total hip arthroplasty in a canine model, 452

Acceleration
Electromyographic studies of the lumbar trunk musculature during the generation of low-level trunk acceleration, 811

Acidosis
Effects of acidosis and alkalosis on long bone vascular resistance, 834

Alkaline phosphatase
Associations and dissociations between serum bone Gla protein and alkaline phosphatase in skeletal metabolism, 671
Effects of ascorbic acid, calcitriol, and retinoic acid on the differentiation of preosteoblasts, 638

Ambulation
Energy cost of ambulation with different methods of foot and ankle immobilization, 416

Ankle
Energy cost of ambulation with different methods of foot and ankle immobilization, 416

Anterior tibial drawer
Determination of the in situ loads on the human anterior cruciate ligament, 686

Antibiotic
Antibiotic-loaded biodegradable bone cement for prophylaxis and treatment of experimental osteomyelitis in rats, 250
Bioerodible polyanhydrides for antibiotic drug delivery: in vivo osteomyelitis treatment in a rat model system, 256
Evaluation of biodegradable cefazolin sodium microspheres for the prevention of infection in rabbits with experimental open tibial fractures stabilized with internal fixation, 404
In vitro pharmacokinetics of antibiotic release from locally implantable materials, 627
Treatment of experimental osteomyelitis with antibiotic-impregnated bone graft substitute, 619

Antitumor activity
Differentiating and antitumor activities of 1α,25-dihydroxyvitamin D_3 in vitro and 1α-hydroxyvitamin D_3 in vivo on human osteosarcoma, 122

Arthritis
Functional assessment of joint use in experimental inflammatory murine arthritis, 172
Healing of cancellous bone osteotomy in rabbits. Part II: local reversal of arthritis-induced osteopenia after osteotomy, 292

Arthrodesis
Duration of pain and muscular adaptations in patients with dysfunction of the cervical spine, 805
Evaluation of bone-grafting materials in a new canine segmental spinal fusion model, 514

Arthroplasty
Adaptive bone remodeling around bonded noncemented total hip arthroplasty: a comparison between animal experiments and computer simulation, 500
Dual energy x-ray absorptiometry of implanted femora after cemented and press-fit total hip arthroplasty in a canine model, 452
Early postoperative fixation of tibial components: an in vivo roentgen stereophotogrammetric analysis, 142

Ascorbic acid
Effects of ascorbic acid, calcitriol, and retinoic acid on the differentiation of preosteoblasts, 638

Balance
Complex balance reactions in different sensory conditions: adolescents with and without idiopathic scoliosis, 215

Blood flow
Adrenergic control mechanisms of blood flow in a vascularized canine tibial allograft, 429
Blood flow changes in the tibia during external loading, 36
Double-level cauda equina compression: an experimental study with continuous monitoring of intraneural blood flow in the porcine cauda equina, 104
Evaluation of a local microsphere injection method for measurement of blood flow in the rabbit lower extremity, 20
Laser Doppler flowmetry for estimation of bone blood flow: studies of reproducibility and correlation with microsphere technique, 573
Quantitative study of the routes of blood flow to the tibial diaphysis after an osteotomy, 49
Relationship between inert gas wash-out and radioactive tracer microspheres in measurement of bone blood flow: effect of decreased arterial supply and venous congestion on bone blood flow in an animal model, 28

Bone
Adaptive bone remodeling around bonded noncemented total hip arthroplasty: a comparison between animal experiments and computer simulation, 500
Adrenergic control mechanisms of blood flow in a vascularized canine tibial allograft, 429
Changes in bone in a model of spinal cord injury, 537
Comparison of demineralized allogeneic bone matrix grafting (the Urist procedure) and the Ilizarov procedure in large diaphyseal defects in sheep, 438
Effect of controlled local release of sodium fluoride on bone formation: filling a defect in the proximal femoral cortex, 548
Effect of ischemic storage on endothelium in canine bone, 648
Effects of acidosis and alkalosis on long bone vascular resistance, 834
Effects of cisplatin on the incorporation of fresh syngeneic and frozen allogeneic cortical bone grafts, 240
Effects of transforming growth factor beta on cells derived from bone and callus of patients with osteogenesis imperfecta, 564
Enhancement of bone growth into metal screws implanted in the medullary canal of the femur in rats, 655
Evaluation of bone-grafting materials in a new canine segmental spinal fusion model, 514
Experimental model in vivo for quantitative assessment of bone resorption inhibition, 892
Healing of cancellous bone osteotomy in rabbits. Part I: regulation of bone volume and the regional acceleratory phenomenon in normal bone, 285
Healing of cancellous bone osteotomy in rabbits. Part II: local reversal of arthritis-induced osteopenia after osteotomy, 292
In vitro pharmacokinetics of antibiotic release from locally implantable materials, 627
Intraosseous infusion of prostaglandin E_2 in the caprine tibia, 110
Localized hyperthermic treatment of experimental bone tumors with ferromagnetic ceramics, 849
Mechanical characteristics of proximal femoral reconstruction after 50% resection, 339
Preservation of bone graft vascularity with the University of Wisconsin cold storage solution, 840
Sequential appearance of macromolecules in bone induction in the rat, 367
Stress-generated potentials in bone: effects of bone fluid composition and kinetics, 874
Treatment of experimental osteomyelitis with antibiotic-impregnated bone graft substitute, 619
Two processes of bone remodeling in plated intact femora: an experimental study in dogs, 78

Calcification
Calcification inhibitors in human ligamentum flavum, 92
Cartilage end-plate and intervertebral disc in scoliosis: calcification and other sequelae, 747

Calcitriol
Effects of ascorbic acid, calcitriol, and retinoic acid on the differentiation of preosteoblasts, 638

Calcium
Changes in bone in a model of spinal cord injury, 537

Callus
Effects of transforming growth factor beta on cells derived from bone and callus of patients with osteogenesis imperfecta, 564

Carpus
Effects of exercise and polysulfated glycosaminoglycan on repair of articular cartilage defects in the equine carpus, 782

Cartilage
Diffusion of small solutes in cartilage as measured by nuclear magnetic resonance (NMR) spectroscopy and imaging, 465
Effect of compressive loading and unloading on the synthesis of total protein, proteoglycan, and fibronectin by canine cartilage explants, 717
Effects of exercise and polysulfated glycosaminoglycan on repair of articular cartilage defects in the equine carpus, 782
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313
In vivo effects of Naproxen on composition, proteoglycan metabolism, and matrix metalloproteinase activities in canine articular cartilage, 163
In vivo quantification of proteoglycan synthesis in articular cartilage of different topographical areas in the murine knee joint, 492
Pleiotrophin is an abundant protein in dissociative extracts of bovine fetal epiphyseal cartilage and nasal cartilage from newborns, 479
Repair of articular cartilage injury following intra-articular chymopapain-induced matrix proteoglycan loss, 705
Ultrastructural changes of articular cartilage chondrocytes associated with freeze-thawing, 1
Viscoelastic shear properties of articular cartilage and the effects of glycosidase treatments, 771

Cauda equina
Double-level cauda equina compression: an experimental study with continuous monitoring of intraneural blood flow in the porcine cauda equina, 104

Cells
Cellular shape and pressure may mediate mechanical control of tissue composition in tendons, 581
Effect of fetal thyroid hormone (RT_3) on sarcoma cells in culture, 379
Primary culture of microvascular endothelial cells from canine meniscus, 907
Targeting of microdiscs in white cells to tibial abscesses in rabbits, 412

Cement
Antibiotic-loaded biodegradable bone cement for prophylaxis and treatment of experimental osteomyelitis in rats, 250

Ceramic
Evaluation of bone-grafting materials in a new canine segmental spinal fusion model, 514
Localized hyperthermic treatment of experimental bone tumors with ferromagnetic ceramics, 849
Treatment of experimental osteomyelitis with antibiotic-impregnated bone graft substitute, 619

Chemotherapy
Expression of the multidrug resistance gene in osteosarcoma: a pilot study, 396

Chondrocytes
Effects of parathyroid hormone-related peptide on chick growth plate chondrocytes, 884
Physeal replacement with cultured chondrocytes of varying developmental time: failure to reconstruct a functional or structural physis, 10
Ultrastructural changes of articular cartilage chondrocytes associated with freeze-thawing, 1

Chondroitin sulphate
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313
Ultrastructural immunolocalization of type-VI collagen and chondroitin sulphate in ligament, 677

Chymopapain
Repair of articular cartilage injury following intra-articular chymopapain-induced matrix proteoglycan loss, 705

Cisplatin
Effects of cisplatin on the incorporation of fresh syngeneic and frozen allogeneic cortical bone grafts, 240

Collagen
Distribution of integrins and their matrix ligands in osteogenic sarcomas, 386
Evaluation of bone-grafting materials in a new canine segmental spinal fusion model, 514
Method to determine collagen density distributions in fibrous tissues, 612
Ultrastructural immunolocalization of type-VI collagen and chondroitin sulphate in ligament, 677

Computer simulation
Adaptive bone remodeling around bonded noncemented total hip arthroplasty: a comparison between animal experiments and computer simulation, 500
Rib cage deformities in scoliosis: spine morphology, rib cage stiffness, and tomography imaging, 730

Contact area
Knee joint contact pressure decreases after chronic meniscectomy relative to the acutely meniscectomized joint: a mechanical study in the goat, 796
Maquet procedure: effect of tibial shingle length on patellofemoral pressures, 199

Corrosion
Reduction of fretting corrosion of Ti-6Al-4V by various surface treatments, 865

Cryopreservation
Ultrastructural changes of articular cartilage chondrocytes associated with freeze-thawing, 1

Cytokines
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313

Demineralized bone
Comparison of demineralized allogeneic bone matrix grafting (the Urist procedure) and the Ilizarov procedure in large diaphyseal defects in sheep, 438
In vitro pharmacokinetics of antibiotic release from locally implantable materials, 627
Sequential appearance of macromolecules in bone induction in the rat, 367

Diabetes
Effects of severe diabetes and insulin on the femoral neck of the immature rat, 263

Diffusion
Diffusion of small solutes in cartilage as measured by nuclear magnetic resonance (NMR) spectroscopy and imaging, 465

Dimethyl sulfoxide
Ultrastructural changes of articular cartilage chondrocytes associated with freeze-thawing, 1

Disc
Cartilage end-plate and intervertebral disc in scoliosis: calcification and other sequelae, 747
Proteoglycan synthesis in canine intervertebral discs after long-distance running training, 738
Proteoglycans of the cartilaginous end-plate of the human intervertebral disc change after maturity, 324
Use of coccygeal discs to study intervertebral disc metabolism, 332

Drug delivery
Antibiotic-loaded biodegradable bone cement for prophylaxis and treatment of experimental osteomyelitis in rats, 250
Bioerodible polyanhydrides for antibiotic drug delivery: in vivo osteomyelitis treatment in a rat model system, 256
Expression of the multidrug resistance gene in osteosarcoma: a pilot study, 396

Dual energy x-ray absorptiometry
Dual energy x-ray absorptiometry of implanted femora after cemented and press-fit total hip arthroplasty in a canine model, 452

Elastic modulus
Effects of complete stress-shielding on the mechanical properties and histology of in situ frozen patellar tendon, 592

Electrical stimulation
Torque history of electrically stimulated human quadriceps: implications for stimulation therapy, 131

Electromyography
Electromyographic studies of the lumbar trunk musculature during the generation of low-level trunk acceleration, 811

Electron microscopy
Ultrastructural immunolocalization of type-VI collagen and chondroitin sulphate in ligament, 677

Elongation
Dynamic elongation behavior in the medial collateral and anterior cruciate ligaments during lateral impact loading, 190

Elution
In vitro pharmacokinetics of antibiotic release from locally implantable materials, 627

Endothelium
Effect of ischemic storage on endothelium in canine bone, 648
Primary culture of microvascular endothelial cells from canine meniscus, 907

Endothelium-derived relaxing factor (EDRF)
Effect of ischemic storage on endothelium in canine bone, 648

Epiphysis
Pleiotrophin is an abundant protein in dissociative extracts of bovine fetal epiphyseal cartilage and nasal cartilage from newborns, 479

Errata
Load transfer with the Austin Moore cementless hip prosthesis, 618

Evoked action potential
Effects of local compression on peroneal nerve function in humans, 818
Response of peripheral nerve to cyclic compression in a laboratory rat model, 828

Ewing sarcoma
Effect of fetal thyroid hormone (RT_3) on sarcoma cells in culture, 379

Exercise
Effects of exercise and polysulfated glycosaminoglycan on repair of articular cartilage defects in the equine carpus, 782

Extracellular matrix
Ultrastructural immunolocalization of type-VI collagen and chondroitin sulphate in ligament, 677

Femur
Adaptive bone remodeling around bonded noncemented total hip arthroplasty: a comparison between animal experiments and computer simulation, 500
Comparison of demineralized allogeneic bone matrix grafting (the Urist procedure) and the Ilizarov procedure in large diaphyseal defects in sheep, 438
Dual energy x-ray absorptiometry of implanted femora after cemented and press-fit total hip arthroplasty in a canine model, 452
Effect of controlled local release of sodium fluoride on bone formation: filling a defect in the proximal femoral cortex, 548
Effects of cisplatin on the incorporation of fresh syngeneic and frozen allogeneic cortical bone grafts, 240
Effects of prefracture irradiation on the biomechanical parameters of fracture healing, 422
Effects of severe diabetes and insulin on the femoral neck of the immature rat, 263
Enhancement of bone growth into metal screws implanted in the medullary canal of the femur in rats, 655
Experimental canine model of osteonecrosis: characterization of the repair process, 350
Healing of cancellous bone osteotomy in rabbits. Part I: regulation of bone volume and the regional acceleratory phenomenon in normal bone, 285
Healing of cancellous bone osteotomy in rabbits. Part II: local reversal of arthritis-induced osteopenia after osteotomy, 292
Laser Doppler flowmetry for estimation of bone blood flow: studies of reproducibility and correlation with microsphere technique, 573
Mechanical characteristics of proximal femoral reconstruction after 50% resection, 339
Physeal replacement with cultured chondrocytes of varying developmental time: failure to reconstruct a functional or structural physis, 10
Stem curvature and load angle influence the initial relative bone-implant motion of cementless femoral stems, 758
Two processes of bone remodeling in plated intact femora: an experimental study in dogs, 78

Fetal thyroid hormone
Effect of fetal thyroid hormone (RT_3) on sarcoma cells in culture, 379

Fibroblast
Effect of fetal thyroid hormone (RT_3) on sarcoma cells in culture, 379

Fibrocartilage
Cellular shape and pressure may mediate mechanical control of tissue composition in tendons, 581

Fibronectin
Distribution of integrins and their matrix ligands in osteogenic sarcomas, 386
Effect of compressive loading and unloading on the synthesis of total protein, proteoglycan, and fibronectin by canine cartilage explants, 717
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313

Finite element analysis
Adaptive bone remodeling around bonded noncemented total hip arthroplasty: a comparison between animal experiments and computer simulation, 500
Cellular shape and pressure may mediate mechanical control of tissue composition in tendons, 581
Load transfer with the Austin Moore cementless hip prosthesis, 272

Fixation
Early postoperative fixation of tibial components: an in vivo roentgen stereophotogrammetric analysis, 142
Evaluation of biodegradable cefazolin sodium microspheres for the prevention of infection in rabbits with experimental open tibial fractures stabilized with internal fixation, 404
Two processes of bone remodeling in plated intact femora: an experimental study in dogs, 78

Flowmetry
Blood flow changes in the tibia during external loading, 36
Laser Doppler flowmetry for estimation of bone blood flow: studies of reproducibility and correlation with microsphere technique, 573

Fluoride
Effect of controlled local release of sodium fluoride on bone formation: filling a defect in the proximal femoral cortex, 548

Foot
Energy cost of ambulation with different methods of foot and ankle immobilization, 416

Force
Blood flow changes in the tibia during external loading, 36
Determination of the in situ loads on the human anterior cruciate ligament, 686
Dynamic elongation behavior in the medial collateral and anterior cruciate ligaments during lateral impact loading, 190
Effect of compressive loading and unloading on the synthesis of total protein, proteoglycan, and fibronectin by canine cartilage explants, 717
Maintenance of set force in anterior cruciate ligament grafts, 149
Stem curvature and load angle influence the initial relative bone-implant motion of cementless femoral stems, 758
Technique for the evaluation of the contributions of knee structures to knee mechanics in the knee that has a reconstructed anterior cruciate ligament, 448

Fracture
Effects of prefracture irradiation on the biomechanical parameters of fracture healing, 422
Evaluation of biodegradable cefazolin sodium microspheres for the prevention of infection in rabbits with experimental open tibial fractures stabilized with internal fixation, 404
Muscle contraction increases the structural capacity of the lower leg: an in vivo study in the rat, 299
Standardized experimental fracture in the mouse tibia, 305

Free-body diagram
Load transfer with the Austin Moore cementless hip prosthesis, 272

Freeze-thawing
Ultrastructural changes of articular cartilage chondrocytes associated with freeze-thawing, 1

Gait
Achilles tendon healing: a correlation between functional and mechanical performance in the rat, 897
Effect of reconstruction of the anterior cruciate ligament on proprioception of the knee and the heel strike transient, 696
Functional assessment of joint use in experimental inflammatory murine arthritis, 172

Gamma irradiation
Effects of solvent preservation with or without gamma irradiation on the material properties of canine tendon allografts, 181

Gas wash-out
Relationship between inert gas wash-out and radioactive tracer microspheres in measurement of bone blood flow: effect of decreased arterial supply and venous congestion on bone blood flow in an animal model, 28

Gene
Expression of the multidrug resistance gene in osteosarcoma: a pilot study, 396

Geometry
Effects of severe diabetes and insulin on the femoral neck of the immature rat, 263

Gliding function
In vitro biomechanical analysis of suture methods for flexor tendon repair, 603

Glycosaminoglycans
Compressive properties of the cartilaginous end-plate of the baboon lumbar spine, 228
Effects of exercise and polysulfated glycosaminoglycan on repair of articular cartilage defects in the equine carpus, 782
Proteoglycans in the compressed region of human tibialis posterior tendon and in ligaments, 68

Glycosidase
Viscoelastic shear properties of articular cartilage and the effects of glycosidase treatments, 771

Graft
Adrenergic control mechanisms of blood flow in a vascularized canine tibial allograft, 429
Calcification inhibitors in human ligamentum flavum, 92
Comparison of demineralized allogeneic bone matrix grafting (the Urist procedure) and the Ilizarov procedure in large diaphyseal defects in sheep, 438
Effects of cisplatin on the incorporation of fresh syngeneic and frozen allogeneic cortical bone grafts, 240
Effects of solvent preservation with or without gamma irradiation on the material properties of canine tendon allografts, 181
Evaluation of bone-grafting materials in a new canine segmental spinal fusion model, 514
In vitro pharmacokinetics of antibiotic release from locally implantable materials, 627
Maintenance of set force in anterior cruciate ligament grafts, 149
Mechanical characteristics of proximal femoral reconstruction after 50% resection, 339
Preservation of bone graft vascularity with the University of Wisconsin cold storage solution, 840
Technique for the evaluation of the contributions of knee structures to knee mechanics in the knee that has a reconstructed anterior cruciate ligament, 448
Treatment of experimental osteomyelitis with antibiotic-impregnated bone graft substitute, 619

Growth factor
Effects of transforming growth factor beta on cells derived from bone and callus of patients with osteogenesis imperfecta, 564

Hand
In vitro biomechanical analysis of suture methods for flexor tendon repair, 603
Method to determine collagen density distributions in fibrous tissues, 612

Healing
Achilles tendon healing: a correlation between functional and mechanical performance in the rat, 897
Effect of controlled local release of sodium fluoride on bone formation: filling a defect in the proximal femoral cortex, 548
Effects of prefracture irradiation on the biomechanical parameters of fracture healing, 422
Healing of cancellous bone osteotomy in rabbits. Part I: regulation of bone volume and the regional acceleratory phenomenon in normal bone, 285
Healing of cancellous bone osteotomy in rabbits. Part II: local reversal of arthritis-induced osteopenia after osteotomy, 292
Standardized experimental fracture in the mouse tibia, 305

Heat treatment
Enhancement of bone growth into metal screws implanted in the medullary canal of the femur in rats, 655

Hip
Adaptive bone remodeling around bonded noncemented total hip arthroplasty: a comparison between animal experiments and computer simulation, 500
Dual energy x-ray absorptiometry of implanted femora after cemented and press-fit total hip arthroplasty in a canine model, 452
Load transfer with the Austin Moore cementless hip prosthesis, 272

Hormone
Effect of fetal thyroid hormone (RT_3) on sarcoma cells in culture, 379
Effects of parathyroid hormone-related peptide on chick growth plate chondrocytes, 884

Hydrostatic pressure
Cellular shape and pressure may mediate mechanical control of tissue composition in tendons, 581

Hydroxyapatite
Treatment of experimental osteomyelitis with antibiotic-impregnated bone graft substitute, 619

Hydroxyproline
Compressive properties of the cartilaginous end-plate of the baboon lumbar spine, 228
Method to determine collagen density distributions in fibrous tissues, 612

Hyperthermic treatment
Localized hyperthermic treatment of experimental bone tumors with ferromagnetic ceramics, 849

Hypothermia
Effect of ischemic storage on endothelium in canine bone, 648
Preservation of bone graft vascularity with the University of Wisconsin cold storage solution, 840

Ilizarov procedure
Comparison of demineralized allogeneic bone matrix grafting (the Urist procedure) and the Ilizarov procedure in large diaphyseal defects in sheep, 438

Immobilization
Effect of position of immobilisation on resting length, resting stiffness, and weight of the soleus muscle of the rabbit, 358
Energy cost of ambulation with different methods of foot and ankle immobilization, 416

Immunoelectron microscopy
Ultrastructural immunolocalization of type-VI collagen and chondroitin sulphate in ligament, 677

Impact
Dynamic elongation behavior in the medial collateral and anterior cruciate ligaments during lateral impact loading, 190
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313

In Memorium
Howard A. Paul, 617

Infection
Evaluation of biodegradable cefazolin sodium microspheres for the prevention of infection in rabbits with experimental open tibial fractures stabilized with internal fixation, 404

Insulin
Effects of severe diabetes and insulin on the femoral neck of the immature rat, 263

Integrins
Distribution of integrins and their matrix ligands in osteogenic sarcomas, 386

Interleukins
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313

Ion implantation
Reduction of fretting corrosion of Ti-6Al-4V by various surface treatments, 865

Irradiation
Effects of prefracture irradiation on the biomechanical parameters of fracture healing, 422
Effects of solvent preservation with or without gamma irradiation on the material properties of canine tendon allografts, 181

Ischemia
Effect of ischemic storage on endothelium in canine bone, 648

Joint
Functional assessment of joint use in experimental inflammatory murine arthritis, 172

Kinematics
Determination of the in situ loads on the human anterior cruciate ligament, 686

Kinetics
Enhancement of bone growth into metal screws implanted in the medullary canal of the femur in rats, 655
Stress-generated potentials in bone: effects of bone fluid composition and kinetics, 874

Knee
Early postoperative fixation of tibial components: an in vivo roentgen stereophotogrammetric analysis, 142
Effect of reconstruction of the anterior cruciate ligament on proprioception of the knee and the heel strike transient, 696
In vivo quantification of proteoglycan synthesis in articular cartilage of different topographical areas in the murine knee joint, 492
Knee joint contact pressure decreases after chronic meniscectomy relative to the acutely meniscectomized joint: a mechanical study in the goat, 796
Maquet procedure: effect of tibial shingle length on patellofemoral pressures, 199
Primary culture of microvascular endothelial cells from canine meniscus, 907
Repair of articular cartilage injury following intra-articular chymopapain-induced matrix proteoglycan loss, 705
Technique for the evaluation of the contributions of knee structures to knee mechanics in the knee that has a reconstructed anterior cruciate ligament, 448

Laminin
Distribution of integrins and their matrix ligands in osteogenic sarcomas, 386

Laser Doppler flowmetry
Blood flow changes in the tibia during external loading, 36
Laser Doppler flowmetry for estimation of bone blood flow: studies of reproducibility and correlation with microsphere technique, 573

Ligament
Determination of the in situ loads on the human anterior cruciate ligament, 686
Dynamic elongation behavior in the medial collateral and anterior cruciate ligaments during lateral impact loading, 190
Effect of reconstruction of the anterior cruciate ligament on proprioception of the knee and the heel strike transient, 696
Maintenance of set force in anterior cruciate ligament grafts, 149
Mechanical properties of skeletally mature rabbit anterior cruciate ligament and patellar tendon over a range of strain rates, 58
Proteoglycans in the compressed region of human tibialis posterior tendon and in ligaments, 68
Technique for the evaluation of the contributions of knee structures to knee mechanics in the knee that has a reconstructed anterior cruciate ligament, 448
Ultrastructural immunolocalization of type-VI collagen and chondroitin sulphate in ligament, 677

Ligamentum flavum
Calcification inhibitors in human ligamentum flavum, 92

Ligands
Distribution of integrins and their matrix ligands in osteogenic sarcomas, 386

Macromolecules
Sequential appearance of macromolecules in bone induction in the rat, 367

Magnetic fields
Localized hyperthermic treatment of experimental bone tumors with ferromagnetic ceramics, 849
Pulsed magnetic fields improve osteoblast activity during the repair of an experimental osseous defect, 664

Maquet procedure
Maquet procedure: effect of tibial shingle length on patellofemoral pressures, 199

Matrix
Distribution of integrins and their matrix ligands in osteogenic sarcomas, 386
In vivo effects of Naproxen on composition, proteoglycan metabolism, and matrix metalloproteinase activities in canine articular cartilage, 163
Physeal replacement with cultured chondrocytes of varying developmental time: failure to reconstruct a functional or structural physis, 10
Repair of articular cartilage injury following intra-articular chymopapain-induced matrix proteoglycan loss, 705

Ultrastructural immunolocalization of *type-VI collagen and chondroitin sulphate* in ligament, 677

Mechanical properties
Achilles tendon healing: a correlation between functional and mechanical performance in *the rat*, 897
Effects of complete stress-shielding on the mechanical properties and histology of in *situ frozen patellar tendon*, 592
Effects of prefracture irradiation on the biomechanical parameters of fracture healing, 422
In vitro biomechanical analysis of suture methods for flexor tendon repair, 603
Mechanical comparison of gluteus medius *attachment methods in a canine model*, 457
Mechanical properties of skeletally mature rabbit anterior cruciate ligament and patellar *tendon over a range of strain rates*, 58

Mechanosensitive units
Effect of substance P on mechanosensitive units of tissues around and in the lumbar facet joint, 205

Meniscus
Knee joint contact pressure decreases after chronic meniscectomy relative to the acutely *meniscectomized joint: a mechanical study in* the goat, 796
Primary culture of microvascular endothelial *cells from canine meniscus*, 907

Metabolism
Associations and dissociations between serum bone Gla protein and alkaline phosphatase in skeletal metabolism, 671
In vivo effects of Naproxen on composition, proteoglycan metabolism, and matrix metalloproteinase activities in canine articular *cartilage*, 163
Use of coccygeal discs to study intervertebral disc metabolism, 332

Metacarpals
Pulsed magnetic fields improve osteoblast activity during the repair of an experimental osseous defect, 664

Metal implants
Enhancement of bone growth into metal screws implanted in the medullary canal of the femur in rats, 655
Method for production and characterization of metal prosthesis wear particles, 856

Metalloproteinase
In vivo effects of Naproxen on composition, proteoglycan metabolism, and matrix metalloproteinase activities in canine articular cartilage, 163

Microdises
Targeting of microdiscs in white cells to tibial abscesses in rabbits, 412

Microspheres
Evaluation of a local microsphere injection method for measurement of blood flow in *the rabbit lower extremity*, 20
Evaluation of biodegradable cefazolin sodium microspheres for the prevention of infection *in rabbits with experimental open tibial fractures* stabilized with internal fixation, 404
Laser Doppler flowmetry for estimation of *bone blood flow: studies of reproducibility* and correlation with microsphere technique, 573
Quantitative study of the routes of blood flow to the tibial diaphysis after an osteotomy, 49
Relationship between inert gas wash-out and *radioactive tracer microspheres in measurement* of bone blood flow: effect of decreased arterial supply and venous congestion on *bone blood flow in an animal model*, 28

Motion
Posture affects motion coupling patterns of the upper cervical spine, 525
Stem curvature and load angle influence the in*itial relative bone-implant motion of cement*less femoral stems, 758

Muscle
Duration of pain and muscular adaptations in patients with dysfunction of the cervical spine, 805
Effect of position of immobilisation on resting length, resting stiffness, and weight of the soleus muscle of the rabbit, 358
Electromyographic studies of the lumbar trunk musculature during the generation of low-level trunk acceleration, 811
Mechanical comparison of gluteus medius attachment methods in a canine model, 457
Muscle contraction increases the structural *capacity of the lower leg: an in vivo study in* the rat, 299
Torque history of electrically stimulated hu*man quadriceps: implications for stimulation* therapy, 131

Naproxen
In vivo effects of Naproxen on composition, proteoglycan metabolism, and matrix metal*loproteinase activities in canine articular* cartilage, 163

Necrosis
An experimental canine model of osteonecrosis: characterization of the repair process, 350

Nerve
Effects of local compression on peroneal nerve function in humans, 818
Response of peripheral nerve to cyclic compression in a laboratory rat model, 828

Neutrophils
Targeting of microdiscs in white cells to tibial abscesses in rabbits, 412

Nitriding
Reduction of fretting corrosion of Ti-6Al-4V by various surface treatments, 865

Nuclear magnetic resonance spectroscopy
Diffusion of small solutes in cartilage as measured by nuclear magnetic resonance *(NMR) spectroscopy and imaging*, 465

Oncogene
Amplification of *c-myc* oncogene and absence of *c-ha-ras* point mutation in human bone sarcoma, 556

Osteoblast
Associations and dissociations between serum bone Gla protein and alkaline phosphatase *in skeletal metabolism*, 671
Effects of ascorbic acid, calcitriol, and retinoic acid on the differentiation of preosteoblasts, 638
Experimental model in vivo for quantitative assessment of bone resorption inhibition, 892
Pulsed magnetic fields improve osteoblast activity during the repair of an experimental osseous defect, 664

Osteogenesis
Effects of transforming growth factor beta *on cells derived from bone and callus of* patients with osteogenesis imperfecta, 564
Experimental canine model of osteonecrosis: *characterization of the repair process*, 350

Osteomyelitis
Antibiotic-loaded biodegradable bone cement *for prophylaxis and treatment of experimental* osteomyelitis in rats, 250
Bioerodible polyanhydrides for antibiotic drug delivery: in vivo osteomyelitis treatment in a rat model system, 256
Treatment of experimental osteomyelitis with antibiotic-impregnated bone graft substitute, 619

Osteopenia
Healing of cancellous bone osteotomy in rabbits. Part II: local reversal of arthritis*-induced osteopenia after osteotomy*, 292

Osteosarcoma
Amplification of *c-myc* oncogene and absence of *c-ha-ras* point mutation in human bone sarcoma, 556
Differentiating and antitumor activities of *1α,25-dihydroxyvitamin D_3 in vitro and* 1α-hydroxyvitamin D_3 in vivo on human osteosarcoma, 122
Distribution of integrins and their matrix ligands in osteogenic sarcomas, 386
Effect of fetal thyroid hormone (RT_3) on *sarcoma cells in culture*, 379
Expression of the multidrug resistance gene in osteosarcoma: a pilot study, 396
*In vitro photodynamic therapy of musculo*skeletal neoplasms, 633

Osteotomy
Healing of cancellous bone osteotomy in rabbits. Part I: regulation of bone volume *and the regional acceleratory phenomenon* in normal bone, 285
Healing of cancellous bone osteotomy in *rabbits. Part II: local reversal of arthritis*-induced osteopenia after osteotomy, 292
Mechanical characteristics of proximal femoral *reconstruction after 50% resection*, 339
Quantitative study of the routes of blood flow to the tibial diaphysis after an osteotomy, 49

Pain
Duration of pain and muscular adaptations in *patients with dysfunction of the cervical* spine, 805

Parathyroid hormone-related peptide
*Effects of parathyroid hormone-related pep*tide on chick growth plate chondrocytes, 884

Patella
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313
*In vivo quantification of proteoglycan synthe*sis in articular cartilage of different topo*graphical areas in the murine knee joint*, 492

Patellofemoral joint
Maquet procedure: effect of tibial shingle *length on patellofemoral pressures*, 199

Perfusion
Effects of acidosis and alkalosis on long bone vascular resistance, 834
Preservation of bone graft vascularity with the University of Wisconsin cold storage solu*tion*, 840

Photodynamic therapy
*In vitro photodynamic therapy of musculo*skeletal neoplasms, 633

Physis
*Physeal replacement with cultured chondro*cytes of varying developmental time: failure to reconstruct a functional or structural physis, 10

Plaster of Paris
In vitro pharmacokinetics of antibiotic release from locally implantable materials, 627

Plate fixation
Mechanical characteristics of proximal femoral reconstruction after 50% resection, 339

Two processes of bone remodeling in plated intact femora: an experimental study in dogs, 78

Pleiotrophin
Pleiotrophin is an abundant protein in dissociative extracts of bovine fetal epiphyseal cartilage and nasal cartilage from newborns, 479

Point mutation
Amplification of *c-myc* oncogene and absence of *c-ha-ras* point mutation in human bone sarcoma, 556

Polyanhydrides
Bioerodible polyanhydrides for antibiotic drug delivery: in vivo osteomyelitis treatment in a rat model system, 256

Polymethylmethacrylate
Antibiotic-loaded biodegradable bone cement for prophylaxis and treatment of experimental osteomyelitis in rats, 250
Bioerodible polyanhydrides for antibiotic drug delivery: in vivo osteomyelitis treatment in a rat model system, 256
In vitro pharmacokinetics of antibiotic release from locally implantable materials, 627

Posture
Functional assessment of joint use in experimental inflammatory murine arthritis, 172
Posture affects motion coupling patterns of the upper cervical spine, 525

Preservation
Effects of solvent preservation with or without gamma irradiation on the material properties of canine tendon allografts, 181
Preservation of bone graft vascularity with the University of Wisconsin cold storage solution, 840
Ultrastructural changes of articular cartilage chondrocytes associated with freeze-thawing, 1

Proprioception
Effect of reconstruction of the anterior cruciate ligament on proprioception of the knee and the heel strike transient, 696

Prostaglandin E_2
Intraosseous infusion of prostaglandin E_2 in the caprine tibia, 110

Prosthesis
Dual energy x-ray absorptiometry of implanted femora after cemented and press-fit total hip arthroplasty in a canine model, 452
Early postoperative fixation of tibial components: an in vivo roentgen stereophotogrammetric analysis, 142
Load transfer with the Austin Moore cementless hip prosthesis, 272
Mechanical characteristics of proximal femoral reconstruction after 50% resection, 339
Method for production and characterization of metal prosthesis wear particles, 856
Stem curvature and load angle influence the initial relative bone-implant motion of cementless femoral stems, 758

Proteases
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313

Protein
Associations and dissociations between serum bone Gla protein and alkaline phosphatase in skeletal metabolism, 671
Effect of compressive loading and unloading on the synthesis of total protein, proteoglycan, and fibronectin by canine cartilage explants, 717
Pleiotrophin is an abundant protein in dissociative extracts of bovine fetal epiphyseal cartilage and nasal cartilage from newborns, 479
Sequential appearance of macromolecules in bone induction in the rat, 367

Proteoglycans
Effect of compressive loading and unloading on the synthesis of total protein, proteoglycan, and fibronectin by canine cartilage explants, 717
In vivo effects of Naproxen on composition, proteoglycan metabolism, and matrix metalloproteinase activities in canine articular cartilage, 163
In vivo quantification of proteoglycan synthesis in articular cartilage of different topographical areas in the murine knee joint, 492
Proteoglycan synthesis in canine intervertebral discs after long-distance running training, 738
Proteoglycans in the compressed region of human tibialis posterior tendon and in ligaments, 68
Proteoglycans of the cartilaginous end-plate of the human intervertebral disc change after maturity, 324
Repair of articular cartilage injury following intra-articular chymopapain-induced matrix proteoglycan loss, 705
Sequential appearance of macromolecules in bone induction in the rat, 367
Viscoelastic shear properties of articular cartilage and the effects of glycosidase treatments, 771

Radioactive sulfate
In vivo quantification of proteoglycan synthesis in articular cartilage of different topographical areas in the murine knee joint, 492

Reconstruction
Physeal replacement with cultured chondrocytes of varying developmental time: failure to reconstruct a functional or structural physis, 10
Effect of reconstruction of the anterior cruciate ligament on proprioception of the knee and the heel strike transient, 696
Mechanical characteristics of proximal femoral reconstruction after 50% resection, 339

Regional acceleratory phenomenon
Healing of cancellous bone osteotomy in rabbits. Part I: regulation of bone volume and the regional acceleratory phenomenon in normal bone, 285

Remodeling
Adaptive bone remodeling around bonded noncemented total hip arthroplasty: a comparison between animal experiments and computer simulation, 500
Knee joint contact pressure decreases after chronic meniscectomy relative to the acutely meniscectomized joint: a mechanical study in the goat, 796
Two processes of bone remodeling in plated intact femora: an experimental study in dogs, 78

Repair
Effects of exercise and polysulfated glycosaminoglycan on repair of articular cartilage defects in the equine carpus, 782
Effects of prefracture irradiation on the biomechanical parameters of fracture healing, 422
Experimental canine model of osteonecrosis: characterization of the repair process, 350
In vitro biomechanical analysis of suture methods for flexor tendon repair, 603
Pulsed magnetic fields improve osteoblast ctivity during the repair of an experimental osseous defect, 664
Repair of articular cartilage injury following intra-articular chymopapain-induced matrix proteoglycan loss, 705

Resorption
Experimental model in vivo for quantitative assessment of bone resorption inhibition, 892

Restraining action
Technique for the evaluation of the contributions of knee structures to knee mechanics in the knee that has a reconstructed anterior cruciate ligament, 448

Retinoic acid
Effects of ascorbic acid, calcitriol, and retinoic acid on the differentiation of preosteoblasts, 638

Revascularization
Effects of cisplatin on the incorporation of fresh syngeneic and frozen allogeneic cortical bone grafts, 240
Experimental canine model of osteonecrosis: characterization of the repair process, 350

Rib cage
Rib cage deformities in scoliosis: spine morphology, rib cage stiffness, and tomography imaging, 730

Rotation
In vitro biomechanical analysis of suture methods for flexor tendon repair, 603

Running
Proteoglycan synthesis in canine intervertebral discs after long-distance running training, 738

Sarcoma
Amplification of *c-myc* oncogene and absence of *c-ha-ras* point mutation in human bone sarcoma, 556
Differentiating and antitumor activities of 1α,25-dihydroxyvitamin D_3 in vitro and 1α-hydroxyvitamin D_3 in vivo on human osteosarcoma, 122
Distribution of integrins and their matrix ligands in osteogenic sarcomas, 386
Effect of fetal thyroid hormone (RT_3) on sarcoma cells in culture, 379
Expression of the multidrug resistance gene in osteosarcoma: a pilot study, 396
In vitro photodynamic therapy of musculoskeletal neoplasms, 633

Scoliosis
Cartilage end-plate and intervertebral disc in scoliosis: calcification and other sequelae, 747
Complex balance reactions in different sensory conditions: adolescents with and without idiopathic scoliosis, 215
Rib cage deformities in scoliosis: spine morphology, rib cage stiffness, and tomography imaging, 730

Somatosensory system
Complex balance reactions in different sensory conditions: adolescents with and without idiopathic scoliosis, 215

Spectroscopy
Diffusion of small solutes in cartilage as measured by nuclear magnetic resonance (NMR) spectroscopy and imaging, 465

Spinal cord
Changes in bone in a model of spinal cord injury, 537

Spine
Cartilage end-plate and intervertebral disc in scoliosis: calcification and other sequelae, 747
Complex balance reactions in different sensory conditions: adolescents with and without idiopathic scoliosis, 215

Compressive properties of the cartilaginous end-plate of the baboon lumbar spine, 228
Duration of pain and muscular adaptations in patients with dysfunction of the cervical spine, 805
Effect of substance P on mechanosensitive units of tissues around and in the lumbar facet joint, 205
Evaluation of bone-grafting materials in a new canine segmental spinal fusion model, 514
Posture affects motion coupling patterns of the upper cervical spine, 525
Proteoglycan synthesis in canine intervertebral discs after long-distance running training, 738
Proteoglycans of the cartilaginous end-plate of the human intervertebral disc change after maturity, 324
Rib cage deformities in scoliosis: spine morphology, rib cage stiffness, and tomography imaging, 730
Use of coccygeal discs to study intervertebral disc metabolism, 332

Stereophotogrammetry
Early postoperative fixation of tibial components: an in vivo roentgen stereophotogrammetric analysis, 142

Stiffness
Achilles tendon healing: a correlation between functional and mechanical performance in the rat, 897
Effect of position of immobilisation on resting length, resting stiffness, and weight of the soleus muscle of the rabbit, 358
In vitro biomechanical analysis of suture methods for flexor tendon repair, 603
Mechanical characteristics of proximal femoral reconstruction after 50% resection, 339
Mechanical comparison of gluteus medius attachment methods in a canine model, 457
Rib cage deformities in scoliosis: spine morphology, rib cage stiffness, and tomography imaging, 730

Stimulation
Torque history of electrically stimulated human quadriceps: implications for stimulation therapy, 131

Strain
Cellular shape and pressure may mediate mechanical control of tissue composition in tendons, 581
Mechanical properties of skeletally mature rabbit anterior cruciate ligament and patellar tendon over a range of strain rates, 58
Viscoelastic shear properties of articular cartilage and the effects of glycosidase treatments, 771

Strength
Changes in bone in a model of spinal cord injury, 537
Effects of complete stress-shielding on the mechanical properties and histology of in situ frozen patellar tendon, 592
Effects of prefracture irradiation on the biomechanical parameters of fracture healing, 422
Effects of solvent preservation with or without gamma irradiation on the material properties of canine tendon allografts, 181
Enhancement of bone growth into metal screws implanted in the medullary canal of the femur in rats, 655
Mechanical characteristics of proximal femoral reconstruction after 50% resection, 339
Mechanical comparison of gluteus medius attachment methods in a canine model, 457
Muscle contraction increases the structural capacity of the lower leg: an in vivo study in the rat, 299

Stress
Load transfer with the Austin Moore cementless hip prosthesis, 272

Stress-generated potentials
Stress-generated potentials in bone: effects of bone fluid composition and kinetics, 874

Stress-shielding
Effects of complete stress-shielding on the mechanical properties and histology of in situ frozen patellar tendon, 592

Stromelysin
Immunolocalization of selected cytokines and proteases in canine articular cartilage after transarticular loading, 313

Substance P
Effect of substance P on mechanosensitive units of tissues around and in the lumbar facet joint, 205

Suture repair
In vitro biomechanical analysis of suture methods for flexor tendon repair, 603
Mechanical comparison of gluteus medius attachment methods in a canine model, 457

Sway
Complex balance reactions in different sensory conditions: adolescents with and without idiopathic scoliosis, 215

Tendon
Achilles tendon healing: a correlation between functional and mechanical performance in the rat, 897
Cellular shape and pressure may mediate mechanical control of tissue composition in tendons, 581
Effects of complete stress-shielding on the mechanical properties and histology of in situ frozen patellar tendon, 592
Effects of solvent preservation with or without gamma irradiation on the material properties of canine tendon allografts, 181
In vitro biomechanical analysis of suture methods for flexor tendon repair, 603
Mechanical properties of skeletally mature rabbit anterior cruciate ligament and patellar tendon over a range of strain rates, 58
Method to determine collagen density distributions in fibrous tissues, 612
Proteoglycans in the compressed region of human tibialis posterior tendon and in ligaments, 68

Tibia
Adrenergic control mechanisms of blood flow in a vascularized canine tibial allograft, 429
Antibiotic-loaded biodegradable bone cement for prophylaxis and treatment of experimental osteomyelitis in rats, 250
Blood flow changes in the tibia during external loading, 36
Early postoperative fixation of tibial components: an in vivo roentgen stereophotogrammetric analysis, 142
Effect of ischemic storage on endothelium in canine bone, 648
Effects of acidosis and alkalosis on long bone vascular resistance, 834
Evaluation of biodegradable cefazolin sodium microspheres for the prevention of infection in rabbits with experimental open tibial fractures stabilized with internal fixation, 404
Experimental model in vivo for quantitative assessment of bone resorption inhibition, 892
In vivo quantification of proteoglycan synthesis in articular cartilage of different topographical areas in the murine knee joint, 492
Intraosseous infusion of prostaglandin E_2 in the caprine tibia, 110
Localized hyperthermic treatment of experimental bone tumors with ferromagnetic ceramics, 849
Maquet procedure: effect of tibial shingle length on patellofemoral pressures, 199
Muscle contraction increases the structural capacity of the lower leg: an in vivo study in the rat, 299
Quantitative study of the routes of blood flow to the tibial diaphysis after an osteotomy, 49
Standardized experimental fracture in the mouse tibia, 305
Targeting of microdiscs in white cells to tibial abscesses in rabbits, 412
Treatment of experimental osteomyelitis with antibiotic-impregnated bone graft substitute, 619

Tissue composition
Cellular shape and pressure may mediate mechanical control of tissue composition in tendons, 581

Titanium
Dual energy x-ray absorptiometry of implanted femora after cemented and press-fit total hip arthroplasty in a canine model, 452
Enhancement of bone growth into metal screws implanted in the medullary canal of the femur in rats, 655
Reduction of fretting corrosion of Ti-6Al-4V by various surface treatments, 865

Tomography
Rib cage deformities in scoliosis: spine morphology, rib cage stiffness, and tomography imaging, 730

Torque
Posture affects motion coupling patterns of the upper cervical spine, 525
Torque history of electrically stimulated human quadriceps: implications for stimulation therapy, 131

Transforming growth factor beta
Effects of transforming growth factor beta on cells derived from bone and callus of patients with osteogenesis imperfecta, 564

Translation
Stem curvature and load angle influence the initial relative bone-implant motion of cementless femoral stems, 758
Technique for the evaluation of the contributions of knee structures to knee mechanics in the knee that has a reconstructed anterior cruciate ligament, 448

Tumor
In vitro photodynamic therapy of musculoskeletal neoplasms, 633
Localized hyperthermic treatment of experimental bone tumors with ferromagnetic ceramics, 849

Urist procedure
Comparison of demineralized allogeneic bone matrix grafting (the Urist procedure) and the Ilizarov procedure in large diaphyseal defects in sheep, 438

Vascularity
Adrenergic control mechanisms of blood flow in a vascularized canine tibial allograft, 429
Effects of acidosis and alkalosis on long bone vascular resistance, 834

Physeal replacement with cultured chondrocytes of varying developmental time: failure to reconstruct a functional or structural physis, 10
Preservation of bone graft vascularity with the University of Wisconsin cold storage solution, 840
Quantitative study of the routes of blood flow to the tibial diaphysis after an osteotomy, 49
Relationship between inert gas wash-out and radioactive tracer microspheres in measurement of bone blood flow: effect of decreased arterial supply and venous congestion on bone blood flow in an animal model, 28

Viscoelasticity
Compressive properties of the cartilaginous end-plate of the baboon lumbar spine, 228
Viscoelastic shear properties of articular cartilage and the effects of glycosidase treatments, 771

Vitamin D
Differentiating and antitumor activities of 1α,25-dihydroxyvitamin D_3 in vitro and 1α-hydroxyvitamin D_3 in vivo on human osteosarcoma, 122

von Frey threshold
Effect of substance P on mechanosensitive units of tissues around and in the lumbar facet joint, 205

Walking
Energy cost of ambulation with different methods of foot and ankle immobilization, 416

Wash-out
Preservation of bone graft vascularity with the University of Wisconsin cold storage solution, 840
Relationship between inert gas wash-out and radioactive tracer microspheres in measurement of bone blood flow: effect of decreased arterial supply and venous congestion on bone blood flow in an animal model, 28

Wear
Method for production and characterization of metal prosthesis wear particles, 856
Reduction of fretting corrosion of Ti-6Al-4V by various surface treatments, 865

X-ray absorptiometry
Dual energy x-ray absorptiometry of implanted femora after cemented and press-fit total hip arthroplasty in a canine model, 452

Zeta potential
Stress-generated potentials in bone: effects of bone fluid composition and kinetics, 874